

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	I	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/699,009		10/30/2003	Tyson James Mackjust	DEI 004 UTL	1426
35070	7590	01/17/2006		EXAMINER	
ANATOLY			TRIEU, VAN THANH		
12526 HIGH SUITE 300	i BLUFF	DRIVE	ART UNIT	PAPER NUMBER	
SAN DIEGO	O, CA 9	2130	2636		
				DATE MAILED: 01/17/2006	5

Please find below and/or attached an Office communication concerning this application or proceeding.

			/i/為:			
Office Action Summary		Application No.	Applicant(s)			
		10/699,009	MACKJUST ET AL			
		Examiner	Art Unit			
		Van T Trieu	2636			
Period fo	The MAILING DATE of this communication apports or Reply	ears on the cover sheet with t	he correspondence address			
THE - Exte after - If the - If NO - Failt Any	MAILING DATE OF THIS COMMUNICATION. Insions of time may be available under the provisions of 37 CFR 1.13 IT SIX (6) MONTHS from the mailing date of this communication. It period for reply specified above is less than thirty (30) days, a reply of period for reply is specified above, the maximum statutory period we use to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing led patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply ly within the statutory minimum of thirty (30 will apply and will expire SIX (6) MONTHS, cause the application to become ABAND	be timely filed days will be considered timely. from the mailing date of this communication. ONED (35 U.S.C. § 133).			
Status						
1)🖾	Responsive to communication(s) filed on 28 No	ovember 2005.				
•	·	action is non-final.				
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposit	ion of Claims					
5)□ 6)⊠ 7)□	Claim(s) <u>1-67</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) <u>1-67</u> is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	vn from consideration.	•			
Applicat	ion Papers					
10)	The specification is objected to by the Examine The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction The oath or declaration is objected to by the Examine	epted or b) objected to by t drawing(s) be held in abeyance. ion is required if the drawing(s) is	See 37 CFR 1.85(a). s objected to. See 37 CFR 1.121(d).			
Priority (under 35 U.S.C. § 119					
a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priorical application from the International Bureau See the attached detailed Office action for a list of	s have been received. s have been received in Appli ity documents have been rec ı (PCT Rule 17.2(a)).	cation No eived in this National Stage			
Attachmen	t(s)					
2) Notice 3) Inform	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) or No(s)/Mail Date	4) Interview Summ Paper No(s)/Ma 5) Notice of Inform 6) Other:				

Art Unit: 2636

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

1. Claims 1-23, 25, 26, 28-42, 44-55 and 57-67 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Clise et al** [US 5,797,091] in view of **Goldenberg et al** [US 6,636,197].

Regarding claim 1, the claimed remote control comprising a processor (the personal communicator 10 includes a microprocessor controller 22, see Figs. 2 and 3); and the display coupled to the processor to display information to the user under control of the processor (the personal communicator 10 a display 16 coupled to a programmable

Art Unit: 2636

microprocessor controller 22, see Figs. 2 and 3, col. 4, lines 4-16 and col. 5, lines 34-36); and the first input device coupled to the processor to allow the processor to read state of the first input device, the state of the first input device being selected by the user and the second input device coupled to the processor to allow the processor to read state of the second input device, the state of the second input device being selected by the user (the buttons 12c, 12d, 12e and 12f are programmed to be selected by a user to enter commands and data information to the microprocessor controller 52 and memory 54, see Figs 2 and 3, col. 3, lines 2-5, and col. 5, lines 2-50); and the transmitter coupled to the processor, the transmitter being capable of sending remote commands to the communication module of the base unit under control of the processor (the radio frequency transmitter 44 coupled to the microprocessor controller 52, see Figs. 1 and 2, col. 2, lines 8-10, col. 8, lines 21-57); and the memory module coupled to the processor, the memory module storing code executed by the processor (the memory 54 is coupled to the microprocessor controller 52, see Fig. 2, col. 4, lines 6-8); and wherein the processor under control of the code displays to the user various menu items on the display, enables the user to scroll among the menu items to pointed to one of the menu items using the first input device, and enable the user to select the menu item that is pointed to by using the second input device (under the control of the microprocessor controller 52 that allows a user to scroll the programmable buttons 12c, 12d, 12e or 12f for selecting a desired function through a display menu, see Figs. 3 and 4, col. 2, lines 18-21, col. 5, lines 1-50 and col. 6, lines 45-51); but Clise et al fails to disclose the pre-amble that a remote control transmitter for enabling a user to control

Art Unit: 2636

remotely a security system, the security system having a base unit with a communication module. However, Clise et al teaches that the handheld personal communicator 10 includes a RF transmitter 44 and RF receiver 46 for wireless communicates with a private response center 22, public response center 26 including private roadside automobile assistance, department of transportation incident response and emergency response. The handheld personal communicator 10 provides the user with greater sense of security because of their ability to communicate from remote locations. The handheld personal communicator 10 receives electrical power from a vehicle cigarette lighter and to generate an automobile service request and personal data to the automobile service facility, see Figs. 1-3, col. 1, lines 31-45, col. 2, lines 52-63, col. 4, lines 29-34 and col. 5, lines 15-19. Goldenberg et al suggests that a control panel 12 for a remote electronic device for selectively controlling various automobile systems including engine, air conditioning, heat, mirrors, seats, sunroof, map and a security or alarm system for the automobile/vehicle, see Figs. 1 and 3, col. 4, lines 3-20. Therefore, it would have been obvious to one skill in the art at the time the invention was made to substitute the remote control security of Goldenberg et al for the handheld communicator of Clise et al since the handheld communicator can be used within a vehicle and to provide security assurance to vehicle's driver or user through vehicle alarm system and/or vehicle roadside assistance.

Art Unit: 2636

Regarding claim 2, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claim 1 above, and including the radio or wireless link, see Figs. 1 and 5.

Regarding claim 3, Clise et al fails to disclose the first input device comprises a scroll wheel with an internal push-to-activate switch operable by depressing the scroll wheel in a radial direction of the scroll wheel toward center of the scroll wheel and releasing the scroll wheel; the user selects the state of the first input device by rotating the scroll wheel; the second input device comprises the internal push-to activate switch of the scroll wheel and the user selects the state of the second user device by depressing and releasing the scroll wheel. However, Clise et al teaches that the programmable buttons 12c, 12d and 12e can be relabeled as scrolling control buttons to permit the user to scroll through the entire contents of the phone book storage area 84 so that the user can select his desired function, see Figs. 3 and 4, col. 6, lines 41-51. Goldenberg et al suggests that a control panel 12 including a scroll control knob/wheel 26 for a user/driver to rotate the wheel 26 toward a direction of any vehicle operation functions, parameters, engine status or electronic accessories to be selected, see Figs. 1 and 3, abstract, col. 2, lines 27-44, col. 4, lines 1-67 and col. 5, lines 1-67. Therefore, it would have been obvious to one skill in the art at the time the invention was made to substitute the scroll control wheel of Godenberg et al for the function keys of Clise et al since the scroll button and scroll wheel provides the same results as selected by the user/driver. The haptic feedback scroll control knob allows easier selection of menu items, menus,

Art Unit: 2636

values, or other options by the user/driver. The scroll control knob also provides greater control over selection and other operations with faster and accuracy.

Regarding claim 4, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claim 3 above.

Regarding claim 5, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claim 4 above, and one of the menu items occupies no less than substantially half of the display area capable of displaying menu items (one of the selected item could be greater than the display menu area 16 depending how large is the item information data, such as more than 20 letters, see Fig. 3).

Regarding claim 6, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claim 3 above, and including the haptic feedback scroll control knob.

Regarding claim 7, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claim 6 above, and including the tactile feedback, see **Goldenberg et al**, col. 1, lines 47-51, and the audible feedback, see **Clise et al**, col. 18, lines 7-9.

Art Unit: 2636

Regarding claim 8, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claim 7 above, see Figs. 1-3 of **Goldenberg et al**.

Regarding claim 9, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claim 8 above.

Regarding claim 10, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 2 and 7 above.

Regarding claim 11, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claim 10 above, and including a plurality of tasks (the plurality of functions, see 3 and 5-7.

Regarding claim 12, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claim 11 above.

Regarding claim 13, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 3 and 11 above, but **Clise et al** fails to disclose the menu items comprise a screen inversion menu item, the plurality of tasks comprises a screen inversion task, the screen inversion menu item corresponds to the screen inversion task; and the code executed by the processor causes the processor to perform the screen inversion task and invert the display when the screen inversion

menu item is selected, but **Clise et al** teaches that the screen display area 16 being controlled by the microprocessor controller 52 to display a particular tasks or information from messages, user selections and/or received command data, see Figs. 2 and 3, col. 2, lines 18-21. Therefore, it would have been obvious to one skill in the art to recognize that the display area is functionally equivalent to the claimed screen inversion because it is designed to display information data received from the memory and/or remotely in the forms of either analog and digital signals, which are converted for displaying on the display to be view by a user.

Regarding claim 14, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claim 3 above, and including the security system, which reads upon the security clearance and the alarm conditions related to the vehicle, see Fig. 7C, col. 16, lines 48-65.

Regarding claim 15, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 3 and 14 above, and including the outer housing, see Figs. 2 and 3.

Regarding claim 16, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claim 15 above, see Figs. 2 and 3.

Page 9

Art Unit: 2636

Regarding claim 17, all the claimed subject matters are discussed between Clise et al and Goldenberg et al in respect to claim 15 above, it is a designed choice to select the particular size of the top of the outer housing is less than about 1.5 inches, which provides easier and convenience carried by a user.

Regarding claim 18, all the claimed subject matters are discussed between Clise et al and Goldenberg et al in respect to claim 17 above, and the pressure needed to activate the internal is between about 0.15 and 0.75 ounces, which reads upon the haptic feedback scroll control knob operated by the force sensation, other force effects and resistive forces are applied, see **Goldenberg et al**, col. 12, lines 14-67, cols. 13-16 and col. 17, lines 1-57.

Regarding claim 19, all the claimed subject matters are discussed between Clise et al. and Goldenberg et al in respect to claims 3 and 14 above, see Figs. 2 and 3 of Fraker et al, and Fig. 1 of Goldenberg et al.

Regarding claim 20, all the claimed subject matters are discussed between Clise et al and Goldenberg et al in respect to claims 17 and 19 above.

Regarding claim 21, all the claimed subject matters are discussed between Clise et al and Goldenberg et al in respect to claims 18 and 20 above.

Art Unit: 2636

Regarding claim 22, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claim 3 above, but **Clise et al** fails to disclose the display driver interposed between the processor and the display. However, **Clise et al** teaches that the microprocessor controller 52 is connected to a display 16, which is a coded alphanumeric character display, see Figs. 1-3, col. 4, lines 27-32. Therefore, it would have been obvious to one skill in the art at the time the invention was made to recognize that the display includes a display driver for driving to display of alphanumeric, and wherein the display driver is obviously interposed or connected between the processor and the display for receiving command display signals from the processor to be displayed on the display.

Regarding claim 23, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 3 and 13 above, and including the programming functions, see Figs. 5-9.

Regarding claim 25, all the claimed subject matters are cited in respect to claim 2 above, and including the receiver (the receiver 46 receives commands from the central communication stations 22, see Figs. 1 and 2, col. 2, lines 16-18, col. 7, lines 1-3 and col. 8, lines 25-65).

Regarding claim 26, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 3 and 14 above.

Regarding claim 28, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claim 26 above, and including the alarm data messages, see col. 16, lines 54-65.

Regarding claim 29, all the claimed subject matters are cited in respect to claim 1 above, and including the input data port capable of receiving the code executed by the processor (the input data port 58, see Fig. 2, col. 4, lines 10-17).

Regarding claim 30, all the claimed subject matters are cited in respect to claim 29 above.

Regarding claim 31, all the claimed subject matters are cited in respect to claim 1 above.

Regarding claim 32, all the claimed subject matters are cited in respect to claims 2 and 31 above.

Regarding claim 33, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 3 and 32 above.

Art Unit: 2636

Regarding claim 34, all the claimed subject matters are discussed between Clise et al and Goldenberg et al in respect to claims 4 and 33 above.

Regarding claim 35, all the claimed subject matters are discussed between Clise et al and Goldenberg et al in respect to claims 13 and 33 above.

Regarding claim 36, all the claimed subject matters are discussed between Clise et al and Goldenberg et al in respect to claims 15 and 33 above.

Regarding claim 37, all the claimed subject matters are discussed between Clise et al and Goldenberg et al in respect to claims 16 and 36 above.

Regarding claim 38, all the claimed subject matters are discussed between Clise et al and Goldenberg et al in respect to claims 17 and 37 above.

Regarding claim 39, all the claimed subject matters are discussed between Clise et al and Goldenberg et al in respect to claims 18 and 38 above.

Regarding claim 40, all the claimed subject matters are discussed between Clise et al and Goldenberg et al in respect to claims 19 and 33 above.

Art Unit: 2636

Regarding claim 41, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 20 and 40 above.

Regarding claim 42, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 23 and 33 above.

Regarding claim 44, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 28 and 33 above.

Regarding claim 45, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claim 1 above.

Regarding claim 46, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 3 and 45 above.

Regarding claim 47, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 4 and 46 above.

Regarding claim 48, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 5 and 47 above.

Art Unit: 2636

Regarding claim 49, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 6 and 46 above.

Regarding claim 50, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 7 and 46 above.

Regarding claim 51, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 8 and 46 above.

Regarding claim 52, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 13 and 46 above.

Regarding claim 53, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 15 and 47 above.

Regarding claim 54, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 18 and 53 above.

Regarding claim 55, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 23 and 52 above.

Art Unit: 2636

Regarding claim 57, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 25 and 46 above.

Regarding claim 58, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 28 and 57 above.

Regarding claim 59, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 28 and 58 above.

Regarding claim 60, the method claimed limitations are met by the apparatus claim discussed between **Clise et al** and **Goldenberg et al** in respect to claims 1 and 3 above, and including the holding the remote controller in one hand (the personal communicator 10 is designed to hold by a person's hand, see Figs. 1 and 3).

Regarding claim 61, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 4 and 60 above.

Regarding claim 62, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claim 1 above, wherein the hand-held general purpose computing device is met by the combination of the remote control of **Goldenberg et al** that includes a local microprocessor 22, other microprocessor 224,

Art Unit: 2636

input 220, memory 206 with calculation instruction, and a display 14, see Figs. 1 and 3, col. 4, lines 3-66, col. 10, lines 40-67 and col. 11, lines 1-67).

Regarding claim 63, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claim 62 above, and including the portable or handheld TTL 120 or 220 with electrical power supply 28 or 32, see Figs. 2 and 3.

Regarding claim 64, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claim 1 above.

Regarding claim 65, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claim 1 above.

Regarding claim 66, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 1 and 62 above.

Regarding claim 67, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** in respect to claims 1 and 64 above.

2. Claims 24, 27, 43 and 56 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Clise et al** and **Goldenberg et al** and further in view of **Issa et al** [US 5,783,989].

Art Unit: 2636

Regarding claim 24, Clise et al fails to disclose the function programming task is selected from the list consisting of passive arming, active arming, enabling confirming chirps for arm and disarm state changes, disabling confirming chirps for arm and disarm state changes, turning on ignition locking of doors, and turning off ignition locking of doors. However, Clise et al teaches that the remote personal communicator 10 includes a programmed microprocessor controller 52 for communicating with and providing positioning data to another entity. The modern communications such as cellular telephone can be used to summon help, roadside assistant for a disabled automobile vehicle or to call for emergency services, see Fig. 1, col. 1, lines 6-24 and 53-67, col. 3, lines 2-51, col. 4, lines 4-16 and col. 6, lines 41-51. **Issa et al** suggests that the vehicle security system for a vehicle includes a controller 35 for programming and learning a unique code of a remote transmitter 25 to define a learned remote transmitter 25 capable of causing performance of a function associated with the vehicle including vehicle security system. The vehicle learned functions includes arming, disarming, ignition on/off function, door lock and unlock statuses and chirp and flash notifications, see Figs. 1, 2, 6C, 7C, 11 and 12, col. 5, lines 3-60, col. 6, lines 15-30, col. 8, lines 8-67, col. 9, lines 1-54, col. 15, lines 15-51, col. 18, lines 51-67 and col. 19, lines 1-22. Therefore, it would have been obvious to one skill in the art at the time the invention was made to programmed the processor of Clise et al and Goldenberg et al with vehicle security functions such as of Issa et al for providing vehicle security and personal convenience as well. Today RF remote controlled vehicle security provides

Art Unit: 2636

remote door locking/unlocking, remote trunk release, remote window roll up/down, remote ignition starting are available to in the market.

Regarding claim 27, Clise et al fails to disclose the information in the message contains diagnostic data. However, Clise et al teaches that the remote personal communicator 10 includes a programmable microprocessor controller 52 to control the information data related to positioning of a motor vehicle and/or emergency situation over the display 16 by an input buttons 12 and/or I/O port 58, see Figs. 1 and 2, col. 3, lines 2-51, col. 4, lines 4-16 and col. 6, lines 41-51. Issa et al suggests that vehicle security system for a vehicle includes a controller 35 for programming and learning a unique code of a remote transmitter 25 to define a learned remote transmitter 25 capable of causing performance of a function associated with the vehicle including vehicle security system and self-diagnostic mode to help maintain the maximum security possible, see Figs. 1, 2A and 8A, col. 2, lines 36-60, col. 8, lines 8-42, col. 10, lines 38-57, col. 16, lines 58-67 and col. 17, lines 1-40. Therefore, it would have been obvious to one skill in the art at the time the invention was made to implement the self-diagnostic mode of Issa et al to the processor of Clise et al and Goldenberg et al for assuring of the vehicle security operation functions and to prevent of falls alarm.

Regarding claim 43, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** and **Flick** in respect to claims 24 and 42 above.

Art Unit: 2636

Regarding claim 56, all the claimed subject matters are discussed between **Clise et al** and **Goldenberg et al** and **Flick** in respect to claims 24 and 46 above.

Response to Arguments

3. Applicant's arguments filed on 28 November 2005 have been fully considered but they are not persuasive. Because,

Applicant's arguments:

- (A) Clise et al discloses the private response center described in Clise monitors security systems such as intrusion detection systems and fire alarms. The private response center itself is not a security system. Therefore, Clise does not disclose that the personal communicator is a remote control transmitter for remotely controlling a security system.
- (B) **Clise** disclose the general purpose computing device provides only the transmitter and receiver; according to claim 62, the general purpose computing device provides elements other than the transmitter and receiver.
- (C) Clise apparently does not disclose a security system installed in a vehicle. Still further, Clise apparently does not disclose a base unit with security sensors.

 While Clise does disclose a global positioning system (GPS), the global positioning system is installed in the personal communicator, not in a base unit.

 According to Clise, the personal communicator 10 thus provides several alternative

techniques for generating position data.

Art Unit: 2636

- (D) **Goldenberg** suggests a scroll control knob/wheel 26, however, the numeral 26 designates a knob, not a scroll wheel. A knob is not the same as a scroll wheel.
- (E) It appears that neither **Clise** nor **Goldenberg** discloses or suggests displaying menu items one at a time. **Clise** and **Goldenberg** apparently also show multiple menu items displayed.
- (F) It appears that **Clise** does not teach receiving at the communicator messages that include alarm, status, or diagnostic data from the base unit.
- (G) It appears that neither **Clise** nor **Goldenberg** discloses or suggests such placement of the scroll wheel.

Response to the arguments:

(A) It is obvious to combine the remote control security of **Goldenberg** and **Clise** since the handheld communicator provides security assurance and allows user to control for vehicle road assistance as in emergency situation.

The independent claims 60 and 62 do not claimed of the remote control for general security purposes and/or vehicle security system.

- (B) The combination between **Clise** and **Goldenberg** provides the multiple microprocessors for separate and different operation functions of the computing/calculating device and the transmitter/receiver.
- (C) The base unit should be one of the private response center and/or public response center, which is obviously having a processor and GPS system for

Art Unit: 2636

communicating with the portable communicator and to provide location position as well as distances and directions of a traveling vehicle.

- (D) **Goldenberg** disclose of the scroll wheel, see col. 12, lines 15-22 and col. 25, lines 57-62).
- (E) Even though **Clise** and **Goldenberg** show multiple menu items display, but only one of the item is selected to display one at a time.
- (F) The combination between **Clise** and **Goldenberg** allows the handheld or remote controller to receives the vehicle status conditions as well as the vehicle alarm conditions.
- (G) The scroll wheel of **Goldenberg** as in (D) above.

Conclusion

4. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2636

5. Any inquiry concerning this communication or earlier communications from

examiner should be directed to primary examiner Van Trieu whose telephone number

is (571) 272-2972. The examiner can normally be reached on Mon-Fri from 7:00 AM to

3:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

Page 22

supervisor, Mr. Jeffery Hofsass can be reached on (571) 272-2981.

Van Trieu

Primary Examiner

Date: 1/11/06